

Jun 21st, 3:30 PM - 3:45 PM

Innovations II: Designing a Cost Effective Vertical-Slot Fishway

Matthew Gordos

NSW Department of Primary Industries Fisheries, Australia

Martin Mallen-Cooper

Fishway Consulting Services

Heath Robinson

NSW Public Works, Australia

Steven Slarke

Jacobs

Craig Copeland

NSW Department of Primary Industries Fisheries, Australia

Follow this and additional works at: https://scholarworks.umass.edu/fishpassage_conference

Gordos, Matthew; Mallen-Cooper, Martin; Robinson, Heath; Slarke, Steven; and Copeland, Craig, "Innovations II: Designing a Cost Effective Vertical-Slot Fishway" (2016). *International Conference on Engineering and Ecohydrology for Fish Passage*. 33.

https://scholarworks.umass.edu/fishpassage_conference/2016/June21/33

This Event is brought to you for free and open access by the Fish Passage Community at UMass Amherst at ScholarWorks@UMass Amherst. It has been accepted for inclusion in International Conference on Engineering and Ecohydrology for Fish Passage by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

Designing a cost effective vertical-slot fishway.

**Matthew Gordos¹, Martin Mallen-Cooper², Heath
Robinson³, Steven Slarke⁴ & Craig Copeland¹**

¹NSW Department of Primary Industries Fisheries


²Fishway Consulting Services

³NSW Public Works

⁴Jacobs



Department of
Primary Industries



Primary
Industries

Walgett Weir

- Weir raising
- Fishway requested
- Estimate - \$5.8 M
- Funding - \$1.1 M



Fishway Criteria Re-evaluated

- Ecological
- Hydrological
- Hydrodynamic
- Structural




Ecological Criteria

NATIVE SPECIES	BODY SIZE	MIGRATION SCALE	ECOHYDRAULIC GUILD	HABITAT GUILD	BASIN POP TREND	ABUNDANCE
Murray Cod	Large	Meso	Meso Lotic	Channels	Decline	Common
Golden Perch	Medium	Macro	Macro Lotic	Channels	Decline	Common
Bony Herring	Medium	Meso	Meso Lotic / Lentic	Generalist	Stable	Abundant
Spangled Perch	Medium	Meso	Meso Lotic / Lentic	Generalist	Stable	Rare
Freshwater Catfish	Medium	Meso	Meso Lotic / Lentic	Generalist	Decline	Absent
Carp Gudgeons	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Common
Australian Smelt	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Common
Unspecked Hardyhead	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Rare
Murray-Darling Rainbowfish	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Rare

Micro (< 100 m); Meso (100 m – 10s km); Macro (100s km)

Large Body Size (700 - 1500 mm); Medium Body Size (100 - 700 mm); Small Body Size (20 - 100 mm)

Mallen-Cooper & Zampatti 2015



Murray Cod

Photo – Nathan Reynoldson

- **Considerable US & DS habitat**

Ecological Criteria

NATIVE SPECIES	BODY SIZE	MIGRATION SCALE	ECOHYDRAULIC GUILD	HABITAT GUILD	BASIN POP TREND	ABUNDANCE
Murray Cod	Large	Meso	Meso Lotic	Channels	Decline	Common
Golden Perch	Medium	Macro	Macro Lotic	Channels	Decline	Common
Bony Herring	Medium	Meso	Meso Lotic / Lentic	Generalist	Stable	Abundant
Spangled Perch	Medium	Meso	Meso Lotic / Lentic	Generalist	Stable	Rare
Freshwater Catfish	Medium	Meso	Meso Lotic / Lentic	Generalist	Decline	Absent
Carp Gudgeons	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Common
Australian Smelt	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Common
Unspecked Hardyhead	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Rare
Murray-Darling Rainbowfish	Small	Micro	Micro Lotic / Lentic	Generalist	Stable	Rare

Micro (< 100 m); Meso (100 m – 10s km); Macro (100s km)

Mallen-Cooper & Zampatti 2015

Large Body Size (700 - 1500 mm); Medium Body Size (100 - 500 mm); Small Body Size (20 - 100 mm)

- **Reduce cell size from 3.0 x 2.0 m to 2.5 x 1.8 m**



Hydrologic Criteria

0 m³/s to 75 m³/s - $\Delta H = 5.1\text{m}$

0.3 m³/s to 75 m³/s - $\Delta H = 4.6\text{ m}$

Reduced fishway length = 7.5 m

Cost savings ~ \$220,000




Hydrodynamic Criteria


■ Turbulence – discharge & volume

– Keyed slots

– Cell Size

- 3.0 m x 2.0 m = 50 W/m³
- 2.5 m x 1.8 m = 65 W/m³
- 2.5 m x 2.5 m = 45 W/m³





■ **Cost implication - negligible**




Primary Industries

Structure Design

- **Design Life**
 - **Concrete – 100 yrs**
 - **Sheet Pile – 50 yrs**
 - **Savings - \$1 M**





- Initial estimate = \$5.8 M
- Revised design = \$3.1 M (46.5 % savings)



Primary Industries